## Amendments to the Claims:

Please amend claims 12-15 and 36-45.

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- (canceled)
  (canceled)
  (canceled)
  (canceled)
- 6. (canceled)

5. (canceled)

- 7. (canceled)
- 8. (canceled)
- 9. (canceled).
- 10. (canceled).
- 11. (canceled)

12. (currently amended) A device for attaching an advertisement to a flexible hose, hose advertisement assembly comprising:

## a flexible hose;

a cylindrical foam member designed for placement placed on the said flexible hose, said cylindrical foam member having a hollow core extending therethrough;

a covering adapted-to at least substantially cover covering said cylindrical foam member, wherein said covering includes the an advertisement; and

a first securing means for securing said covering to said cylindrical foam member.

- 13. (currently amended) The device assembly of claim 12, wherein said hollow core has a diameter of about 1.5 inches.
- 14. (currently amended) The device assembly of claim 12, wherein said cylindrical foam member has a slit designed for placing said cylindrical foam member on the said flexible hose.
- 15. (currently amended) The device assembly of claim 12, wherein said first means for securing said covering to said cylindrical foam member comprises a zipper.
  - 16. (canceled)
  - 17. (canceled)
  - 18. (canceled)
  - 19. (canceled)

- 20. (canceled)
- 21. (canceled)
- 22. (canceled)
- 23. (canceled)
- 24. (canceled)
- 25. (canceled)
- 26. (canceled)
- 27. (canceled)
- 28. (canceled)
- 29. (canceled)
- 30. (canceled)
- 31. (canceled)
- 32. (canceled)
- 33. (canceled)

- 34. (canceled)
- 35. (canceled)
- 36. (currently amended) A device for-removably attaching advertising on a portion of a length of flexible hose of hose advertisement assembly for a gasoline pump, comprising:

## a flexible hose;

a an elongated cylindrical member made of flexible <u>foam</u> material, said <u>elongated</u> cylindrical member having a <u>an elongated</u> hollow core extending therethrough <u>adapted</u> to receive the <u>receiving said</u> flexible hose; and

a flexible covering removably attached to said <u>elongated</u> cylindrical member and <del>adapted</del> to substantially <del>cover</del> <u>covering</u> said <u>elongated</u> cylindrical member, <u>said flexible covering</u> defining first and <u>second openings through which said flexible hose extends</u>, said flexible covering including an area for advertising,

wherein the combination of said flexible covering and covering, said elongated cylindrical member is flexible when attached to the and said received flexible hose is flexible.

- 37. (currently amended) The device assembly of claim 36, wherein said elongated cylindrical member has a first end and a second end and a an elongated slit extending from said first end to said second end.
- 38. (currently amended) The device assembly of claim 36, wherein said hollow core has a diameter of about 1.5 inches.

- 39. (currently amended) The device assembly of claim 36, wherein said flexible material is a flexible foam covering includes a clear window in said area for advertising.
- 40. (currently amended) The device assembly of claim 36, wherein said flexible covering includes a reflective strip.
- 41. (currently amended) The device assembly of claim 36, further comprising a securing element for securing said flexible covering and said cylindrical member to the said flexible hose length portion hose.
- 42. (currently amended) The device assembly of claim 36, wherein said flexible covering is releasably secured to the said flexible hose length portion hose.
- 43. (currently amended) A device for removably attaching advertising on a portion of a length of flexible gasoline hose of a gasoline pump, the length of flexible gasoline hose having a length and an outer diameter, the device comprising:
- a <u>an elongated</u> flexible, padded covering removably attached to the <u>length of</u> flexible gasoline hose and extending substantially around the <u>outer</u> diameter of a portion of the length of the flexible gasoline hose; and

said elongated flexible, padded covering including a display portion for advertising.

- 44. (currently amended) The device of claim 43, further comprising a securing element for securing said <u>elongated</u> flexible, padded covering to the <u>portion of the length of</u> flexible gasoline hose.
- 45. (currently amended) The device of claim 43, wherein said <u>elongated</u> flexible, padded covering is releasably secured to the <u>length of</u> flexible <del>hose length portion</del> gasoline hose.